MATERIAL SAFETY DATA SHEET



Mr. Muscle Oven & Grill Cleaner

HMIS		NFPA	Personal protective equipment
Health	3	3	
Flammability	0	0	
Physical Hazard / Instability	0	0	

Version Number: 1

Preparation date: 2014-09-05

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

MSDS #: Product Code: Recommended use: Mr. Muscle Oven & Grill Cleaner

MS0301492 100853669 • Oven and Grill Cleaner

Manufacturer, importer, supplier: US Headquarters Diversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: Canadian Headquarters Diversey, Inc. - Canada 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS ON CONTACT. HARMFUL OR FATAL IF SWALLOWED.

Principal routes of exposure:Eye contact. Skin contact. Inhalation.Eye contact:Corrosive. Causes permanent eye damage, including blindness.Skin contact:Corrosive. Causes permanent damage.Inhalation:May cause irritation and corrosive effects to nose, throat and respirate Corrosive. Causes burns to mouth, throat and stomach.	ory tract.
---	------------

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Sodium hydroxide	1310-73-2	10 - 20%	500	=1350 mg/kg	Not available
Diethylene glycol monoethyl ether	111-90-0	5 - 10%	5500	Not available	>5240 mg/m ³ (4 h)

4. FIRST AID MEASURES

Eye contact:	Immediately flush eyes with running water for 15-20 minutes, keeping eyelids open. Get medical attention immediately.
Skin contact:	Rinse immediately. Remove contaminated clothing and wash skin thoroughly with soap and water. Continue flushing for 15-20 minutes. Get medical attention immediately.
Inhalation: Ingestion:	If breathing is affected, remove to fresh air. Get medical attention immediately. If swallowed, rinse mouth. Give a cupful of water or milk. THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:The product is not flammable. Extinguish fire using agent suitable for surrounding fire.Extinguishing media which must not beused for safety reasons:The product is not flammable.Specific hazards:None known.Unusual hazards:Corrosive material (See sections 8 and 10).Specific methods:None known.

Special protective equipment for firefighters: As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:
Environmental precautions
and clean-up methods:

Put on appropriate personal protective equipment (see Section 8.). Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up. Keep out of water supplies and sewers. Prevent product from entering drains.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. ALWAYS WEAR LONG CHEMICAL-RESISTANT GLOVES, CHEMICAL-SPLASH GOGGLES AND PROTECTIVE FOOTWEAR WHEN SPRAYING AND WIPING. Do not spray toward face. Wash hands and arms after use. Do not spray on or let spray contact pilot light, electrical connections, switches, light bulbs, heating elements, receptacles, or thermostats. Spray may cause electric short. Do not let product contact floor coverings, linoleum, aluminum, copper, chrome, painted surfaces or plastics. Do not use on continuous or self-cleaning ovens. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment	
Eye protection:	Chemical-splash goggles.
Hand protection:	Chemical-resistant gloves
Skin and body protection:	Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.
Respiratory protection:	In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Sodium hydroxide	1310-73-2	2 mg/m ³ (Ceiling)	2 mg/m ³ (TWA)	2 mg/m ³ (Ceiling)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Appearance: Liquid Specific gravity: 1.12 Vapor density: No information available Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Completely Soluble Solubility in other solvents: No information available Partition coefficient (n-octanol/water): No information available Elemental Phosphorus: 0 % by wt. pH: 13 Explosion limits: - upper: Not determined - lower: Not determined Bulk density: No information available Evaporation Rate: No information available Color: Clear, Brown Odor: Surfactant Melting point/range: Not determined Autoignition temperature: No information available Density: 9.34 lbs/gal 1.12 Kg/L Flash point: > 200 °F > 93.3 °C Viscosity: No information available VOC: 0.1 % * Dilution pH: 13 @ RTU

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

Stability: Polymerization: Hazardous decomposition products: Materials to avoid: Conditions to avoid:

Stable Hazardous polymerization does not occur. Oxides of carbon. Acids. Soft metals. None known.

Corrosive Oral LD50 estimated to be between 1000 - 2000 mg/kg
Dermal LD50 estimated to be > 2000 mg/kg
See Section 3.
None known
None known
None known
None known
None known

12. ECOLOGICAL INFORMATION

11. TOXICOLOGICAL INFORMATION

Environmental Information:

No data available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations. RCRA Hazard Class (undiluted product): D002 Corrosive Waste

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information.

DOT (Ground) Bill of Lading Description: UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

IMDG (Ocean) Bill of Lading Description: UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Sodium hydroxide	1310-73-2	Х	Х	Х	Х
Diethylene glycol monoethyl ether	111-90-0	-	Х	-	-
Alkyl Glucoside	68515-73-1	-	-	-	-
Sodium chloride	7647-14-5	-	-	-	-

CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hydroxide	1310-73-2	10 - 20%	1000		
Diethylene glycol monoethyl ether	111-90-0	5 - 10%			Х

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants	
---------------	---------	---------	-------------------------	--

	Diethylene glycol monoethyl ether	X		
--	-----------------------------------	---	--	--

SARA 311/312 Hazard Ca	tegories	
Immediate:	-	Х
Delayed:		-
Fire:		-
Reactivity:		-
Sudden Release of P	ressure:	-
Canada		
WHMIS hazard class: E	Corrosive materi	al.



16. OTHER INFORMATION

 Reason for revision:
 Not applicable

 Prepared by:
 NAPRAC

 Additional advice:
 • Does not contain an added fragrance

 • This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.