Printing date 12/03/2015 Reviewed on 12/03/2015

1 Identification

- · Product identifier UMLV-6
- · Trade name: TTX-2 Metered Air Freshener 190 g, Lavender
- · Manufacturer article number: EAEDC68
- · Application of the substance / the mixture Air Freshener.
- Details of the supplier of the safety data sheet (741)(43)
- · Manufactured for: Kandel and Son 155 Dupont Street Plainview, NY 11803 (516) 931-4455
- · Information department: Product safety department
- · Emergency telephone number:

International During Normal Office ours central USA time: +52 33 3688 0850

CHEMTREC Day or Night within USA and Canada: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Aerosol 1 H222 Extremely flammable aerosol.



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.



Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS02

GHS04

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

acetone

Coumarin

Linalool

· Hazard statements

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

(Contd. on page 2)

Printing date 12/03/2015 Reviewed on 12/03/2015

Trade name: Metered Air Freshener 190 g, Lavender

(Contd. of page 1)

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not pierce or burn, even after use.

Do not spray on an open flame or other ignition source.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Store locked up.

Protect from sunlight. Store in a well-ventilated place.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 4Reactivity = 1

· HMIS-ratings (scale 0 - 4)



4 Fire = 4

· Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangero	· Dangerous components:			
67-64-1	acetone	50-100%		
75-28-5	isobutane	10-<25%		
74-98-6	propane	2.5-<10%		
	Fragrance Trade Secret (741)	2.5-<10%		
106-97-8	butane	0.1-≤2.5%		
78-70-6	Linalool	0.1-<1%		
	(C	ontd. on page 3)		

Printing date 12/03/2015 Reviewed on 12/03/2015

Trade name: Metered Air Freshener 190 g, Lavender

91-64-5 | Coumarin (Contd. of page 2)
| 0.1-<1%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

(Contd. on page 4)

Printing date 12/03/2015 Reviewed on 12/03/2015

Trade name: Metered Air Freshener 190 g, Lavender

(Contd. of page 3)

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

 \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:					
67-64-1 acetone					
PEL	Long-term value: 2400 mg/m³, 1000 ppm				
REL	Long-term value: 590 mg/m³, 250 ppm				
TLV	Short-term value: 1187 mg/m³, 500 ppm				
	Long-term value: 594 mg/m³, 250 ppm				
	BEI				
75-28-5 isobutane					
TLV	Short-term value: 2370 mg/m³, 1000 ppm				
740					

74-98-6 propane

PEL Long-term value: 1800 mg/m³, 1000 ppm REL Long-term value: 1800 mg/m³, 1000 ppm TLV refer to Appendix F inTLVs and BEIs book

106-97-8 butane

REL Long-term value: 1900 mg/m³, 800 ppm TLV | Short-term value: 2370 mg/m³, 1000 ppm

· Ingredients with biological limit values:

67-64-1 acetone

BEI 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

Printing date 12/03/2015 Reviewed on 12/03/2015

Trade name: Metered Air Freshener 190 g, Lavender

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical	and	chemical	properties
			Γ

· Information on	basic pl	hysical	and cl	hemical	properties
------------------	----------	---------	--------	---------	------------

· General Information

· Appearance:

Aerosol Form:

Color: According to product specification

· Odor: Characteristic · Odour threshold: Not determined. Not determined. · pH-value:

· Change in condition

· Ignition temperature:

Melting point/Melting range: Undetermined. -44 °C (-47 °F) Boiling point/Boiling range:

 $< 0 \, {}^{\circ}C \, (< 32 \, {}^{\circ}F)$ · Flash point:

· Flammability (solid, gaseous): Not applicable. 460 °C (860 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

· Explosion limits:

1.8 Vol % Lower: Upper: 13.0 Vol %

· Vapor pressure at $20 \, {}^{\bullet}C$ (68 ${}^{\bullet}F$): 3000 hPa (2250 mm Hg)

· Density: Not determined. · Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not applicable.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined.

(Contd. on page 6)

Printing date 12/03/2015 Reviewed on 12/03/2015

Trade name: Metered Air Freshener 190 g, Lavender

		(Contd. of page 5)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	77.4 %	
VOC content:	28.5 %	
	284.6 g/l / 2.37 lb/gl	
Solids content:	3.5 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC5	· LD/LC50 values that are relevant for classification:				
67-64-1	aceton	e			
Oral	LD50	5800 mg/kg (rat)			
Dermal	LD50	20000 mg/kg (rabbit)			

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- $\cdot \textit{Sensitization:} \ \textit{No sensitizing effects known.}$
- $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (Int	ternational Agency for Research on Cancer)				
91-64-5	Coumarin	3			
110-91-8	morpholine	3			
· NTP (Nat	· NTP (National Toxicology Program)				
None of the ingredients is listed.					
· OSHA-Ca (Occupational Safety & Health Administration)					
None of the ingredients is listed.					

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/03/2015 Reviewed on 12/03/2015

Trade name: Metered Air Freshener 190 g, Lavender

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- $\cdot \textit{Other adverse effects} \ \textit{No further relevant information available}.$

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1950	
UN proper shipping name		
DOT	Aerosols, flammable	
IMDG	AEROSOLS	
IATA	AEROSOLS, flammable	
Transport hazard class(es)		Limited quantities (LQ) 1L
DOT		Shipping Packing 30 kg
PLANMAGE CAS		
Class	2.1	LTD. QTY.
Label	2.1	
IMDG, IATA		Limited quantities (LQ) 1L
		Shipping Packing 30 kg
Class	2.1	_
Label	2.1	LTD. QTY.
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Gases	
Danger code (Kemler): EMS Number:	- F-D,S-U	

- US

Printing date 12/03/2015 Reviewed on 12/03/2015

Trade name: Metered Air Freshener 190 g, Lavender

	(Contd. of page
· Transport in bulk according to Annex	•
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 75 kg
	On cargo aircraft only: 150 kg
· IMDG	
· Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1

		Not permitted as Excepted Quantity	_
UN ''Model	Regulation'':	UN 1950 AEROSOLS, 2.1	_
			=
Regulator	y information		
Safety, heal Sara	th and environmental re	egulations/legislation specific for the substance or mixture	
Section 355	(extremely hazardous su	ubstances):	
None of the	ingredients is listed.		
Section 313	(Specific toxic chemical	l listings):	=
None of the	ingredients is listed.		_
TSCA (Toxi	ic Substances Control Ac		=
	acetone		_
75-28-5	isobutane		_
74-98-6	propane		_
25265-71-8	oxydipropanol		_
106-97-8	butane		_
78-70-6	Linalool		
91-64-5	Coumarin		
110-91-8	morpholine		
	Hydroxy-citronellal		
	dipentene		
	Geraniol		
Proposition			
	known to cause cancer:		
None of the	ingredients is listed.		
		ctive toxicity for females:	
None of the	ingredients is listed.		
Chemicals k	known to cause reproduc	ctive toxicity for males:	_
None of the	ingredients is listed.		
Chemicals k	known to cause developm	nental toxicity:	
None of the	ingredients is listed.		
Carcinogen	ic categories		
EPA (Envir	onmental Protection Age	ency)	
67-64-1 ace	etone		

· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
67-64-1 acetone	I
· TLV (Threshold Limit Value established by ACGIH)	
67-64-1 acetone	A4
	(Contd. on page 9)
	U

Printing date 12/03/2015 Reviewed on 12/03/2015

Trade name: Metered Air Freshener 190 g, Lavender

(Contd. of page 8)

110-91-8 morpholine

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS02

GHS04

· Signal word Danger

· Hazard-determining components of labeling:

acetone

Coumarin

Linalool

· Hazard statements

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not pierce or burn, even after use.

Do not spray on an open flame or other ignition source.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Store locked up.

Protect from sunlight. Store in a well-ventilated place.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: +52 33 3688 0850 or 1-800-424-9300
- · Date of preparation / last revision 12/03/2015 / 2

(Contd. on page 10)

Printing date 12/03/2015 Reviewed on 12/03/2015

Trade name: Metered Air Freshener 190 g, Lavender

(Contd. of page 9)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Aerosol 1: Flammable aerosols, Hazard Category 1

Press. Gas: Gases under pressure: Compressed gas

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· Sources

Additional Information Section 11 and Section 15

"According to IARC Morpholine and Coumarin are not classifiable as to its carcinogenicity to humans (Group 3).

IARC (1989) IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol. 47,

Some Organic Solvents, Resin Monomers and Related Compounds, Pigments and Occupational

Exposures in Paint Manufacture and Painting, Lyon, pp. 199-213"

· * Data compared to the previous version altered.

T.16